



PKR 361, high current, DN 25 ISO-KF



Similar Image

PKR 361, high current, DN 25 ISO-KF

- FullRange® gauge with two sensors in one housing
- Very low external magnetic field
- Display range from $1 \cdot 10^{-9}$ to 1000 hPa
- Maximum pressure refers to inert gases and temperatures of less than $< 55 \text{ }^\circ\text{C}$
- Rugged and dependable
- Insensitive to air ingress
- Without elastomer seal
- High current version optimized for high vacuum applications

Technical Data	PKR 361, high current, DN 25 ISO-KF
Accuracy: 10^{-8} - 10^2 hPa	$\pm 30 \%$
Anode	Molybdenum
Bakeout temperature	Elektronics removed, $\leq 150 \text{ }^\circ\text{C}$ Elektronics removed, $\leq 302 \text{ }^\circ\text{F}$ Elektronics removed, $\leq 423 \text{ K}$
Feedthrough	Glass
Filament	Tungsten
Flange	Stainless steel 1.4435
Measurement range max.	1,000 hPa 750 Torr 1,000 mbar
Measurement range min.	$1 \cdot 10^{-8}$ hPa $7.5 \cdot 10^{-9}$ Torr $1 \cdot 10^{-8}$ mbar
Method of measurement	Pirani/Cold Cathode
Nominal diameter	DN 25 ISO-KF
Output signal: Minimum load	10 k Ω
Output signal: Pressure range	2.0 - 8.6 V
Output signal: Sensor error above	9.5 V
Output signal: Sensor error below	10.5 V
Pressure max.	10,000 hPa 7,500 Torr 10,000 mbar
Repeatability: 10^{-8} - 10^2 hPa	$\pm 5 \%$
Sensor cable length	$\leq 300 \text{ m}$ (1 mm ² /wire)
Supply: Power consumption max.	2 W
Supply: Voltage	14.5-30 V DC
Temperature: Operating	5-55 $^\circ\text{C}$ 41-131 $^\circ\text{F}$ 278-328 K
Temperature: Storage	-40-70 $^\circ\text{C}$ -40-158 $^\circ\text{F}$ 233-343 K
Volume	19.9 cm ³
Weight	$< 280 \text{ g}$

Order number

PKR 361

PT T03 140 010

Accessories

Accessory for ActiveLine gauges and controllers

Mating connector

B 4707 283 MA

Sensor cable, 3 m

PT 448 250 -T

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.

PFEIFFER  **VACUUM**